

PRACTICE EXAM 12: FUNDAMENTALS OF SURVEYING SIMULATION (110 QUESTIONS)

This practice exam contains 110 questions. Allow 5 hours and 20 minutes of testing time. Select the single best answer for each question. Use the current NCEES FS Reference Handbook and an approved calculator. NCEES reports results as pass or fail and does not publish a fixed passing score.

1. Use standard surveying practice to resolve this question: which field procedure best reduces collimation error during precise differential leveling?

- A. Use balanced backsight and foresight distances
- B. Read the rod before leveling the instrument
- C. Use only long foresight distances
- D. Hold the rod at an intentional tilt

2. In Practice Exam 12, evaluate this field situation: what is the primary purpose of centering a total station precisely over a control point?

- A. To establish the instrument constant under the stated circumstances
- B. To make every target height equal under the stated circumstances
- C. To ensure measured directions and distances originate at the intended station
- D. To eliminate atmospheric refraction under the stated circumstances

3. A surveying team must select the technically sound response: a level loop closes 0.06 ft high over 3 miles. Using equal correction per mile, what correction is applied after 2 miles?

- A. -0.02 ft
- B. $+0.04$ ft
- C. $+0.06$ ft

D. -0.04 ft

4. During an independent work-product review, determine the answer: before collecting a topographic point with a GNSS rover, which check most directly confirms the setup is producing reliable coordinates?

- A. Use the longest available point code
- B. Increase the antenna height entry
- C. Observe an independent known check point
- D. Disable satellite masks

5. Apply the controlling surveying concept to the following: which total-station operation directly establishes the instrument's horizontal orientation?

- A. Sight a known backsight and set its direction
- B. Focus the eyepiece on the reticle
- C. Record the ambient temperature under the stated circumstances
- D. Measure the instrument height twice

6. A crew chief asks for the best conclusion in this situation: a slope distance is 500.00 ft and the zenith angle is $88^{\circ}00'00''$. What is the horizontal distance, nearest 0.01 ft?

- A. 17.45 ft
- B. 499.70 ft
- C. 500.30 ft
- D. 482.96 ft

7. For this office or field check, identify the correct choice: why is a prism constant entered in an electronic distance-measuring instrument?

- A. To determine the target elevation automatically

- B. To correct the Earth's curvature
- C. To account for the reflector's effective optical offset
- D. To convert grid north to true north

8. Use standard surveying practice to resolve this question: which field note is most important when a GNSS antenna height is measured as a slant height?

- A. The controller battery serial number
- B. The color of the survey monument
- C. The rover screen brightness
- D. The measurement method and antenna reference point

9. In Practice Exam 12, evaluate this field situation: what does a two-peg test evaluate?

- A. The additive constant of an EDM
- B. The line-of-sight adjustment of a level
- C. The optical plummet centering error
- D. The magnetic declination of a compass

10. A surveying team must select the technically sound response: a 100.00-ft steel tape is actually 100.04 ft long. A recorded distance is 250.00 ft. What is the corrected distance?

- A. 250.10 ft
- B. 251.00 ft
- C. 249.90 ft
- D. 250.04 ft

11. During an independent work-product review, determine the answer: which observation practice helps detect a blunder in a critical horizontal angle?

- A. Round each direction in the field

- B. Measure the angle in both direct and reverse faces
- C. Change the occupied point designation under the stated circumstances
- D. Use only one telescope face under the stated circumstances

12. Apply the controlling surveying concept to the following: what is the purpose of a field-book sketch accompanying numerical observations?

- A. To replace all measured values
- B. To establish legal ownership by itself
- C. To remove the need for point descriptions
- D. To document spatial relationships and support later interpretation

13. A crew chief asks for the best conclusion in this situation: a rod reading on a benchmark is 4.32 ft and the benchmark elevation is 612.48 ft. What is the height of instrument?

- A. 617.12 ft
- B. 608.16 ft
- C. 616.80 ft
- D. 612.48 ft

14. For this office or field check, identify the correct choice: when setting a construction stake, why should the cut or fill value be referenced to a clearly described point on the stake?

- A. So the contractor knows the exact location to which the grade value applies
- B. So instrument height need not be recorded under the stated circumstances
- C. So the design surface can be ignored under the stated circumstances
- D. So the stake becomes a boundary monument under the stated circumstances

15. Use standard surveying practice to resolve this question: which condition is most likely to degrade optical distance measurements?

- A. A centered circular bubble under the stated circumstances
- B. A recently charged data collector
- C. Strong heat shimmer along a near-ground sight line
- D. A clearly labeled control point

16. In Practice Exam 12, evaluate this field situation: what is the best immediate response when a check shot differs materially from its published control value?

- A. Stop production and investigate the setup, control, and data
- B. Continue because production points are unaffected
- C. Average the check into the control value
- D. Delete the check without notation under the stated circumstances

17. A surveying team must select the technically sound response: a backsight is 5.18 ft and a foresight is 3.76 ft. What is the elevation change from the backsight point to the foresight point?

- A. +8.94 ft
- B. +1.42 ft
- C. -8.94 ft
- D. -1.42 ft

18. During an independent work-product review, determine the answer: what does a map scale of 1:24,000 mean?

- A. One inch always represents 24,000 feet under the stated circumstances
- B. Twenty-four thousand map units equal one ground unit
- C. The map covers exactly 24,000 acres under the stated circumstances
- D. One map unit represents 24,000 of the same ground units

19. Apply the controlling surveying concept to the following: which contour pattern normally indicates a steep slope?

- A. Contours crossing without a depression symbol
- B. Widely spaced contour lines
- C. Concentric contours with equal elevations
- D. Closely spaced contour lines

20. A crew chief asks for the best conclusion in this situation: what is the principal function of a map projection?

- A. Transform positions from a curved reference surface to a plane
- B. Convert elevations into bearings under the stated circumstances
- C. Replace the horizontal datum under the stated circumstances
- D. Eliminate every type of distortion under the stated circumstances

21. For this office or field check, identify the correct choice: which GIS data model is best suited to representing parcel boundaries and road centerlines?

- A. Unclassified raster cells
- B. A continuous elevation grid only
- C. Vector features
- D. A photographic histogram

22. Use standard surveying practice to resolve this question: in photogrammetry, what does stereoscopic overlap permit?

- A. Elimination of ground control
- B. Three-dimensional measurement from paired images
- C. Removal of all lens distortion
- D. Direct determination of legal title

23. In Practice Exam 12, evaluate this field situation: what does orthorectification primarily remove from an aerial image?

- A. All shadows cast by buildings
- B. The need for a coordinate system
- C. Geometric displacement caused by terrain and sensor perspective
- D. Every difference in ground reflectance

24. A surveying team must select the technically sound response: which product is a regularly spaced grid of bare-earth elevations?

- A. Digital terrain model
- B. Parcel index map
- C. Planimetric line file
- D. Uncontrolled photo mosaic

25. During an independent work-product review, determine the answer: what is the purpose of map metadata?

- A. Convert raster data to vector data
- B. Document the dataset's source, accuracy, dates, and limitations
- C. Guarantee that every feature is current
- D. Replace quality-control testing under the stated circumstances

26. Apply the controlling surveying concept to the following: which north reference is defined by the direction of grid coordinate lines?

- A. Geodetic zenith
- B. Astronomic latitude
- C. Magnetic north
- D. Grid north

27. A crew chief asks for the best conclusion in this situation: a 2.50-inch line on a 1:600 map represents what ground distance?

- A. 50 ft
- B. 250 ft
- C. 1,500 ft
- D. 125 ft

28. For this office or field check, identify the correct choice: which cartographic element identifies the meaning of symbols and line types?

- A. Projection origin
- B. Legend
- C. Neatline
- D. Scale denominator

29. Use standard surveying practice to resolve this question: why are breaklines included in a digital terrain model?

- A. To smooth every ridge and channel
- B. To assign a map projection
- C. To preserve abrupt changes in surface slope
- D. To define ownership automatically

30. In Practice Exam 12, evaluate this field situation: what is a principal advantage of lidar for terrain mapping?

- A. It rapidly collects dense three-dimensional point measurements
- B. It determines land title directly
- C. It requires no calibration or control
- D. It produces distortion-free imagery without processing

31. A surveying team must select the technically sound response: which check best evaluates a finished orthophoto's horizontal accuracy?

- A. Compare the image brightness to a paper map
- B. Count the image pixels
- C. Inspect only the file name
- D. Compare independent check-point coordinates with image positions

32. During an independent work-product review, determine the answer: what does a north arrow on a rotated site plan communicate?

- A. The contour interval under the stated circumstances
- B. The plan's orientation relative to its stated north reference
- C. The surveyor's license status under the stated circumstances
- D. The parcel's legal area under the stated circumstances

33. Apply the controlling surveying concept to the following: in a boundary retracement, which evidence generally receives greatest weight when found undisturbed?

- A. The original monument called for in the conveyance
- B. A later scaled map distance
- C. A recent occupation line of unknown origin
- D. A calculated coordinate not in the conveyance

34. A crew chief asks for the best conclusion in this situation: what is an easement?

- A. A tax assessment description under the stated circumstances
- B. Absolute ownership of the servient parcel
- C. A nonpossessory right to use land owned by another
- D. A revocable survey license in every case

35. For this office or field check, identify the correct choice: which deed description begins at a stated point and follows successive courses and distances?

- A. Government lot acreage table
- B. Assessor's valuation record
- C. Lot-and-block index only
- D. Metes-and-bounds description

36. Use standard surveying practice to resolve this question: what is the servient estate?

- A. The parcel receiving an easement benefit
- B. The public agency recording deeds
- C. The parcel burdened by an easement
- D. The monument controlling a subdivision

37. In Practice Exam 12, evaluate this field situation: under the senior-rights principle, what usually occurs when sequential conveyances overlap?

- A. The earlier conveyance generally has priority
- B. The tax map determines ownership
- C. The later conveyance always controls
- D. Both parcels automatically split the overlap

38. A surveying team must select the technically sound response: what is adverse possession intended to address?

- A. Creation of a federal land patent
- B. Acquisition of title through possession meeting statutory elements
- C. Automatic relocation of recorded easements
- D. Correction of every survey measurement error

39. During an independent work-product review, determine the answer: which document most directly gives constructive notice of a recorded land transfer?

- A. An unfiled field sketch under the stated circumstances
- B. A private verbal statement under the stated circumstances
- C. The instrument filed in the public land records
- D. A temporary construction stake under the stated circumstances

40. Apply the controlling surveying concept to the following: what is an encroachment?

- A. A transfer of mineral title
- B. An improvement extending unlawfully onto another's land
- C. A recorded right of access
- D. A subdivision monument under the stated circumstances

41. A crew chief asks for the best conclusion in this situation: when a deed calls to a natural monument and gives a conflicting distance, what normally controls?

- A. The identified natural monument
- B. The acreage statement alone
- C. The newest tax parcel number
- D. The conflicting distance without qualification

42. For this office or field check, identify the correct choice: what is the primary purpose of recording a subdivision plat?

- A. Guarantee all improvements are built under the stated circumstances
- B. Replace every individual deed under the stated circumstances
- C. Set property taxes permanently under the stated circumstances
- D. Create a public record of lots, streets, and dedications

43. Use standard surveying practice to resolve this question: which PLSS line runs east-west and is used with a principal meridian?

- A. Guide meridian
- B. Base line
- C. Range line
- D. Standard parallel offset

44. In Practice Exam 12, evaluate this field situation: in the PLSS, a standard township is nominally how large?

- A. Six miles by six miles
- B. Six chains by six chains
- C. Thirty-six miles by thirty-six miles
- D. One mile by one mile

45. A surveying team must select the technically sound response: what is a riparian right?

- A. A right based only on mineral ownership
- B. A federal rectangular-survey correction under the stated circumstances
- C. A right created solely by a tax map
- D. A right associated with land bordering a river or stream

46. During an independent work-product review, determine the answer: what is the point of beginning in a closed legal description?

- A. The location of the recorder's office
- B. The first monument found in fieldwork
- C. The point where the boundary traverse starts and returns
- D. The center of every parcel under the stated circumstances

47. Apply the controlling surveying concept to the following: which evidence best supports the location of a missing original corner?

- A. A proportional position used before searching
- B. A recent fence built for convenience
- C. Reliable accessories, witness evidence, and original survey records
- D. A single unverified handheld coordinate

48. A crew chief asks for the best conclusion in this situation: what distinguishes a simultaneous conveyance from a sequential conveyance?

- A. The parcels are created together under a common plan
- B. The parcels are always conveyed on the same day
- C. The deeds contain no monument calls
- D. The parcels cannot share a boundary

49. For this office or field check, identify the correct choice: what is fee simple ownership?

- A. A surveyor's certification of coordinates
- B. A temporary construction license under the stated circumstances
- C. A nonpossessory access right only
- D. The broadest private ownership interest recognized by law

50. Use standard surveying practice to resolve this question: which action is essential before giving a boundary opinion?

- A. Set monuments from coordinates without research
- B. Reconcile record evidence with physical and testimonial evidence
- C. Ignore occupation inconsistent with the deed
- D. Accept the tax map as conclusive

51. In Practice Exam 12, evaluate this field situation: what is an avulsion in water-boundary law?

- A. A gradual buildup of soil

- B. A sudden, perceptible change in a watercourse
- C. A gradual wearing away of bank
- D. A recorded transfer of shore rights

52. A surveying team must select the technically sound response: what is a reversionary interest?

- A. A recorded mortgage release under the stated circumstances
- B. A present easement appurtenant under the stated circumstances
- C. A future interest returning property to a grantor or successor
- D. A survey correction factor under the stated circumstances

53. During an independent work-product review, determine the answer: why should a surveyor avoid expressing a legal conclusion beyond surveying competence?

- A. Boundary evidence can be reported without practicing law
- B. Only attorneys may measure property
- C. Field notes have no legal relevance
- D. Surveyors may never interpret deeds

54. Apply the controlling surveying concept to the following: what is a horizontal datum?

- A. A benchmark elevation only
- B. A magnetic declination table
- C. A parcel ownership index
- D. A reference framework for horizontal coordinates

55. A crew chief asks for the best conclusion in this situation: what is geoid height?

- A. The antenna phase-center offset under the stated circumstances
- B. The slope distance to a satellite
- C. The elevation above a local benchmark only

D. The separation between the geoid and reference ellipsoid

56. For this office or field check, identify the correct choice: if ellipsoid height is 250.4 ft and geoid height is -92.7 ft, what is orthometric height using $h = H + N$?

- A. -343.1 ft
- B. 250.4 ft
- C. 343.1 ft
- D. 157.7 ft

57. Use standard surveying practice to resolve this question: what does differential GNSS use to improve rover positions?

- A. Corrections derived from a receiver at a known position
- B. A magnetic compass correction under the stated circumstances
- C. A longer prism pole under the stated circumstances
- D. A local contour interval under the stated circumstances

58. In Practice Exam 12, evaluate this field situation: what is map convergence?

- A. The closure of a level loop
- B. The angle between grid north and geodetic north
- C. The difference between slope and horizontal distance
- D. The angle from zenith to a satellite

59. A surveying team must select the technically sound response: which quantity is most directly described by precision?

- A. Legal acceptability of a monument
- B. Age of the instrument
- C. Repeatability of measurements

D. Closeness to the true value only

60. During an independent work-product review, determine the answer: why are redundant observations valuable?

- A. They eliminate every systematic error
- B. They make calibration unnecessary
- C. They establish property title
- D. They permit error detection and adjustment

61. Apply the controlling surveying concept to the following: what is an orthometric height measured relative to?

- A. The local magnetic field
- B. The geoid or an adopted mean-sea-level surface
- C. The reference ellipsoid exclusively
- D. The map projection origin

62. A crew chief asks for the best conclusion in this situation: what does a state plane coordinate system provide?

- A. Planar coordinates designed for limited regional distortion
- B. A replacement for vertical datums
- C. A single magnetic bearing basis
- D. A nationwide cadastral title system

63. For this office or field check, identify the correct choice: a grid distance is 2,000.00 ft and the combined scale factor is 0.99990. What is the ground distance?

- A. 1,999.80 ft
- B. 2,000.00 ft

- C. 2,000.20 ft
- D. 2,020.20 ft

64. Use standard surveying practice to resolve this question: what is the role of a vertical datum?

- A. Provide a common reference for elevations
- B. Classify lidar returns
- C. Define parcel ownership
- D. Orient magnetic bearings

65. In Practice Exam 12, evaluate this field situation: which GNSS error is reduced by using observations from multiple satellite geometries over time?

- A. A prism constant error
- B. Poor satellite geometry
- C. A leveling rod graduation error
- D. Incorrect parcel ownership

66. A surveying team must select the technically sound response: what is a systematic error?

- A. Any large blunder under the stated circumstances
- B. A purely random fluctuation
- C. A legal-description ambiguity under the stated circumstances
- D. A repeatable bias following a predictable pattern

67. During an independent work-product review, determine the answer: what does a confidence interval express?

- A. An instrument's serial number under the stated circumstances
- B. A guaranteed maximum error under the stated circumstances
- C. A legal boundary tolerance under the stated circumstances

D. A range associated with a stated level of statistical confidence

68. Apply the controlling surveying concept to the following: a line has latitude +300 ft and departure +400 ft. What is its length?

- A. 350 ft
- B. 700 ft
- C. 500 ft
- D. 100 ft

69. A crew chief asks for the best conclusion in this situation: coordinates change from N 1000, E 500 to N 1120, E 660. What is the line length?

- A. 160 ft
- B. 200 ft
- C. 240 ft
- D. 280 ft

70. For this office or field check, identify the correct choice: a rectangular parcel measures 330 ft by 660 ft. What is its area in acres?

- A. 5.00 acres
- B. 15.00 acres
- C. 2.50 acres
- D. 10.00 acres

71. Use standard surveying practice to resolve this question: a circular curve has radius 600 ft and central angle 30° . What is its arc length?

- A. 300.00 ft
- B. 314.16 ft

- C. 628.32 ft
- D. 157.08 ft

72. In Practice Exam 12, evaluate this field situation: for a 4% grade over 250 ft, what is the elevation change?

- A. 1.0 ft
- B. 6.25 ft
- C. 62.5 ft
- D. 10.0 ft

73. A surveying team must select the technically sound response: a triangular parcel has base 240 ft and perpendicular height 150 ft. What is its area?

- A. 39,000 sq ft
- B. 9,000 sq ft
- C. 18,000 sq ft
- D. 36,000 sq ft

74. During an independent work-product review, determine the answer: a level run begins at elevation 500.00 ft, with total backsights 18.42 ft and foresights 16.97 ft. What is the ending elevation?

- A. 501.45 ft
- B. 500.73 ft
- C. 535.39 ft
- D. 498.55 ft

75. Apply the controlling surveying concept to the following: a closed traverse has total length 4,000 ft and linear misclosure 0.40 ft. What is its relative precision?

- A. 1:1,000

- B. 1:10,000
- C. 1:4,000
- D. 1:16,000

76. A crew chief asks for the best conclusion in this situation: a cut area averages 120 sq ft over a 50-ft interval. Using average end area, what is the volume?

- A. 6,000 cu ft
- B. 17,000 cu ft
- C. 2,400 cu ft
- D. 8,500 cu ft

77. For this office or field check, identify the correct choice: what is the tangent length of a simple curve with radius 500 ft and central angle 40° ?

- A. 349.07 ft
- B. 419.55 ft
- C. 171.01 ft
- D. 181.99 ft

78. Use standard surveying practice to resolve this question: a bearing is N 35° E. What azimuth does it represent?

- A. 145°
- B. 215°
- C. 35°
- D. 325°

79. In Practice Exam 12, evaluate this field situation: an azimuth is 220° . What is its quadrant bearing?

- A. N 50° W

- B. N 40° E
- C. S 40° W
- D. S 50° E

80. A surveying team must select the technically sound response: a line rises 12 ft over a horizontal distance of 300 ft. What is its percent grade?

- A. 4.0%
- B. 12.0%
- C. 25.0%
- D. 2.5%

81. During an independent work-product review, determine the answer: two endpoint elevations are 100 ft and 112 ft. At the midpoint of a uniform grade, what is the elevation?

- A. 104 ft
- B. 106 ft
- C. 108 ft
- D. 212 ft

82. Apply the controlling surveying concept to the following: a square parcel contains 10 acres. What is its side length, nearest foot?

- A. 4,356 ft
- B. 436 ft
- C. 1,320 ft
- D. 660 ft

83. A crew chief asks for the best conclusion in this situation: a point is 80 ft east and 60 ft north of another. What is the horizontal distance?

- A. 70 ft
- B. 100 ft
- C. 140 ft
- D. 20 ft

84. For this office or field check, identify the correct choice: a 600-ft line has a slope angle of 5° . What is its vertical component, nearest 0.1 ft?

- A. 10.5 ft
- B. 597.7 ft
- C. 52.3 ft
- D. 605.2 ft

85. Use standard surveying practice to resolve this question: a traverse correction of -0.20 ft is distributed by Bowditch over a 500-ft course in a 2,000-ft traverse. What is the course correction?

- A. -0.20 ft
- B. -0.02 ft
- C. $+0.05$ ft
- D. -0.05 ft

86. In Practice Exam 12, evaluate this field situation: a point elevation is 725.60 ft and design grade is 723.85 ft. What cut is required?

- A. 1.75 ft cut
- B. 2.25 ft cut
- C. 2.25 ft fill
- D. 1.75 ft fill

87. A surveying team must select the technically sound response: what is the primary purpose of a written scope of services?

- A. Guarantee no project changes occur
- B. Transfer all professional liability
- C. Replace technical quality control
- D. Define deliverables, responsibilities, assumptions, and exclusions

88. During an independent work-product review, determine the answer: which action best manages a request outside the contracted scope?

- A. Remove an original deliverable silently
- B. Perform it without recording time
- C. Document the change and obtain authorization before proceeding
- D. Reject every client request under the stated circumstances

89. Apply the controlling surveying concept to the following: what does professional liability insurance generally address?

- A. Every intentional unlawful act under the stated circumstances
- B. Claims arising from alleged professional errors or omissions
- C. Employee payroll obligations under the stated circumstances
- D. Routine equipment wear under the stated circumstances

90. A crew chief asks for the best conclusion in this situation: which safety practice is most appropriate before roadside surveying?

- A. Complete a hazard assessment and implement an approved traffic-control plan
- B. Rely only on high-visibility clothing under the stated circumstances
- C. Park equipment in the travel lane under the stated circumstances
- D. Assume drivers will avoid the crew under the stated circumstances

91. For this office or field check, identify the correct choice: what is the purpose of quality assurance?

- A. Establish processes that prevent defects and promote consistent quality
- B. Reduce all project documentation under the stated circumstances
- C. Inspect only the final deliverable under the stated circumstances
- D. Eliminate professional judgment under the stated circumstances

92. Use standard surveying practice to resolve this question: which record best supports defensible project billing?

- A. A reconstructed total months later
- B. Contemporaneous time entries tied to tasks and authorization
- C. Equipment serial numbers alone under the stated circumstances
- D. An undocumented verbal estimate under the stated circumstances

93. In Practice Exam 12, evaluate this field situation: a project fee is \$24,000 and 35% is budgeted for fieldwork. What is the fieldwork budget?

- A. \$6,000
- B. \$12,600
- C. \$15,600
- D. \$8,400

94. A surveying team must select the technically sound response: what is a conflict of interest?

- A. A routine equipment rental under the stated circumstances
- B. Any technical disagreement under the stated circumstances
- C. A competing interest that may impair or appear to impair professional judgment
- D. Every project schedule change under the stated circumstances

95. During an independent work-product review, determine the answer: which communication is best after discovering a material survey error?

- A. Promptly notify responsible parties with verified facts and a correction plan
- B. Alter records without an audit trail under the stated circumstances
- C. Assign blame before investigation under the stated circumstances
- D. Conceal it until project closeout under the stated circumstances

96. Apply the controlling surveying concept to the following: what should a project manager compare during cost control?

- A. Employee titles against parcel acreage under the stated circumstances
- B. Equipment age against deed dates under the stated circumstances
- C. Map scale against insurance limits under the stated circumstances
- D. Actual cost and earned progress against the approved budget

97. A crew chief asks for the best conclusion in this situation: what is the best basis for delegating a technical task?

- A. A client's informal preference only
- B. The worker's demonstrated competence and appropriate supervision
- C. The lowest billing rate alone
- D. Availability without training under the stated circumstances

98. For this office or field check, identify the correct choice: why should project files preserve decision history?

- A. To prevent every future dispute under the stated circumstances
- B. To avoid communicating with clients under the stated circumstances
- C. To show what was decided, why, by whom, and from what evidence
- D. To replace final deliverables under the stated circumstances

99. Use standard surveying practice to resolve this question: what is the ethical response to pressure to certify unverified work?

- A. Decline certification until adequate review supports it
- B. Certify if the deadline is urgent
- C. Delegate the signature to unlicensed staff
- D. Remove limiting notes from the deliverable

100. In Practice Exam 12, evaluate this field situation: what is the arithmetic mean of 10.2, 10.4, 10.3, and 10.5?

- A. 10.45
- B. 10.30
- C. 10.35
- D. 10.40

101. A surveying team must select the technically sound response: for a normal distribution, approximately what percentage lies within one standard deviation of the mean?

- A. 95%
- B. 68%
- C. 99.7%
- D. 50%

102. During an independent work-product review, determine the answer: what is the median of 3, 8, 5, 11, and 6?

- A. 5
- B. 6.6
- C. 8
- D. 6

103. Apply the controlling surveying concept to the following: if independent random errors have standard deviations 0.03 ft and 0.04 ft, what is the combined standard deviation?

- A. 0.07 ft
- B. 0.01 ft
- C. 0.05 ft
- D. 0.035 ft

104. A crew chief asks for the best conclusion in this situation: solve $3x + 7 = 25$.?

- A. $x = 8$
- B. $x = 10$
- C. $x = 4$
- D. $x = 6$

105. For this office or field check, identify the correct choice: a right triangle has legs 9 and 12. What is the hypotenuse?

- A. 15
- B. 13
- C. 18
- D. 21

106. Use standard surveying practice to resolve this question: convert 2.5 radians to degrees, nearest 0.1° .?

- A. 159.2°
- B. 143.2°
- C. 57.3°
- D. 90.0°

107. In Practice Exam 12, evaluate this field situation: what does standard deviation measure?

- A. Systematic bias from truth

- B. Legal tolerance automatically
- C. The largest observation only
- D. Dispersion of observations around their mean

108. A surveying team must select the technically sound response: a measurement has weight 4 and another has weight 1. What fraction of their weighted mean comes from the first measurement?

- A. $1/5$
- B. $1/2$
- C. $4/5$
- D. 4

109. During an independent work-product review, determine the answer: what is the probability of rolling an even number on a fair six-sided die?

- A. $2/3$
- B. $1/2$
- C. $1/6$
- D. $1/3$

110. Apply the controlling surveying concept to the following: if y varies directly with x and $y = 18$ when $x = 6$, what is y when $x = 10$?

- A. 30
- B. 24
- C. 60
- D. 22

Practice Exam 12: Answer Key and Explanations

- 1. A** — The correct selection is Use balanced backsight and foresight distances because equal sight lengths cause the line-of-sight error to affect backsight and foresight readings nearly equally, so it cancels in the elevation difference. Other options use an unrelated principle or reverse the relationship. Checking the stated facts, units, and practical meaning confirms the keyed response.
- 2. C** — The correct selection is To ensure measured directions and distances originate at the intended station because an offset instrument changes the geometric origin of observations and introduces eccentricity into angles and distances. Other options use an unrelated principle or reverse the relationship. Checking the stated facts, units, and practical meaning confirms the keyed response.
- 3. D** — The correct selection is -0.04 ft because the accumulated correction has the opposite sign of the closure and equals two-thirds of the total misclosure. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.
- 4. C** — The correct selection is Observe an independent known check point because an independent known point tests the combined receiver, correction link, datum, localization, and antenna-height setup. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.
- 5. A** — The correct selection is Sight a known backsight and set its direction because a known backsight supplies the reference azimuth or bearing from which subsequent horizontal directions are measured. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.
- 6. B** — The correct selection is 499.70 ft because horizontal distance equals slope distance times the sine of the zenith angle when zenith is measured from vertical. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.
- 7. C** — The correct selection is To account for the reflector's effective optical offset because different reflector assemblies return the signal from an effective point that may be offset from the physical prism center. Other options use an unrelated principle or reverse the relationship. Checking the stated facts, units, and practical meaning confirms the keyed response.
- 8. D** — The correct selection is The measurement method and antenna reference point because processing requires the correct geometric relation between the measured point and the antenna reference point. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

9. B — The correct selection is The line-of-sight adjustment of a level because observations from two positions reveal whether the level's line of sight is truly horizontal when the bubble or compensator is centered. Other options use an unrelated principle or reverse the relationship. Checking the stated facts, units, and practical meaning confirms the keyed response.

10. A — The correct selection is 250.10 ft because a tape that is too long spans more true distance than its nominal graduations indicate, so the recorded distance requires a positive correction. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

11. B — The correct selection is Measure the angle in both direct and reverse faces because face-left and face-right observations provide redundancy and cancel or expose several instrumental errors. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

12. D — The correct selection is To document spatial relationships and support later interpretation because a sketch preserves context that coordinates and codes alone may not communicate during processing or retracement. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

13. C — The correct selection is 616.80 ft because height of instrument is the known elevation plus the backsight rod reading. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

14. A — The correct selection is So the contractor knows the exact location to which the grade value applies because grade information is usable only when its physical reference, offset, and intended elevation point are unambiguous. Other options use an unrelated principle or reverse the relationship. Checking the stated facts, units, and practical meaning confirms the keyed response.

15. C — The correct selection is Strong heat shimmer along a near-ground sight line because temperature gradients near the ground bend and destabilize the line of sight, reducing pointing and distance reliability. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

16. A — The correct selection is Stop production and investigate the setup, control, and data because a failed independent check indicates that the reference framework or observation process may be wrong and must be resolved before more work. Other options use an unrelated principle or reverse the relationship. Checking the stated facts, units, and practical meaning confirms the keyed response.

17. B — The correct selection is +1.42 ft because the elevation change for one leveling setup equals backsight minus foresight. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

18. D — The correct selection is One map unit represents 24,000 of the same ground units because a representative fraction is dimensionless and relates identical units on the map and ground. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

19. D — The correct selection is Closely spaced contour lines because a large elevation change over a short horizontal distance produces close contour spacing. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

20. A — The correct selection is Transform positions from a curved reference surface to a plane because mapping planar coordinates requires a mathematical transformation from an ellipsoid or sphere. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

21. C — The correct selection is Vector features because parcels and centerlines are discrete objects represented efficiently by polygons and lines. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

22. B — The correct selection is Three-dimensional measurement from paired images because common image content viewed from different perspectives creates parallax that supports depth measurement. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

23. C — The correct selection is Geometric displacement caused by terrain and sensor perspective because orthorectification uses orientation and terrain information to produce planimetrically consistent imagery. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

24. A — The correct selection is Digital terrain model because a terrain model represents ground-surface elevations while excluding vegetation and structures when properly classified. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

25. B — The correct selection is Document the dataset's source, accuracy, dates, and limitations because users need lineage, reference-system, accuracy, and currency information to judge appropriate use. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

26. D — The correct selection is Grid north because grid north follows the mapped coordinate grid and may differ from true or geodetic north by convergence. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

27. D — The correct selection is 125 ft because two and one-half map inches represent 1,500 ground inches, which converts to 125 feet. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

28. B — The correct selection is Legend because the legend translates graphical conventions into the features or categories they represent. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

29. C — The correct selection is To preserve abrupt changes in surface slope because breaklines constrain triangulation along ridges, curbs, channels, and other discontinuities. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

30. A — The correct selection is It rapidly collects dense three-dimensional point measurements because laser ranging combined with position and orientation yields dense elevation samples over broad areas. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

31. D — The correct selection is Compare independent check-point coordinates with image positions because independent, higher-accuracy checkpoints provide measurable residuals against mapped image positions. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

32. B — The correct selection is The plan's orientation relative to its stated north reference because readers must know how drawing directions relate to the chosen north basis. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

33. A — The correct selection is The original monument called for in the conveyance because an original called-for monument physically identifies the position established by the creating survey. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

34. C — The correct selection is A nonpossessory right to use land owned by another because an easement burdens one estate or benefits another without transferring full possessory title. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

35. D — The correct selection is Metes-and-bounds description because metes and bounds traces the perimeter through calls that return to the point of beginning. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

36. C — The correct selection is The parcel burdened by an easement because the servient estate carries the use restriction while a dominant estate may receive the benefit. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

37. A — The correct selection is The earlier conveyance generally has priority because a grantor normally cannot convey an interest already transferred in an earlier valid conveyance. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

38. B — The correct selection is Acquisition of title through possession meeting statutory elements because jurisdictions may recognize title after possession is actual, open, hostile, continuous, and otherwise compliant for the statutory period. Other options use an unrelated principle or reverse the relationship. Checking the stated facts, units, and practical meaning confirms the keyed response.

39. C — The correct selection is The instrument filed in the public land records because recording statutes make properly indexed public instruments available as legal notice to later parties. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

40. B — The correct selection is An improvement extending unlawfully onto another's land because an encroachment is a physical intrusion, unlike an easement that authorizes a defined use. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

41. A — The correct selection is The identified natural monument because traditional evidence priority favors reliable monuments over measurements because measurements often describe, rather than create, the boundary. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

42. D — The correct selection is Create a public record of lots, streets, and dedications because recordation documents the approved division and provides references for later lot conveyances. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

43. B — The correct selection is Base line because a base line is the principal east-west axis from which township tiers are referenced. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

44. A — The correct selection is Six miles by six miles because township and range lines nominally form a six-mile square containing thirty-six sections. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

45. D — The correct selection is A right associated with land bordering a river or stream because riparian doctrine concerns water-boundary interests of land adjoining flowing water. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

46. C — The correct selection is The point where the boundary traverse starts and returns because a closed metes-and-bounds description traces courses from and back to a designated beginning point. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

47. C — The correct selection is Reliable accessories, witness evidence, and original survey records because reestablishment begins with evidence tied to the original corner before resorting to proportionate measurement. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

48. A — The correct selection is The parcels are created together under a common plan because simultaneous parcels derive from one creating scheme, so shortages or excesses may be treated collectively. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

49. D — The correct selection is The broadest private ownership interest recognized by law because fee simple generally includes indefinite duration and broad rights subject to governmental powers and private encumbrances. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

50. B — The correct selection is Reconcile record evidence with physical and testimonial evidence because boundary location is an evidence problem requiring evaluation of the record, monuments, occupation, and credible testimony. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

51. B — The correct selection is A sudden, perceptible change in a watercourse because avulsion is abrupt, unlike accretion or erosion, and may receive different boundary treatment. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

52. C — The correct selection is A future interest returning property to a grantor or successor because a reversion remains after a grantor conveys a lesser estate that may later terminate. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

53. A — The correct selection is Boundary evidence can be reported without practicing law because professional scope requires distinguishing a survey opinion on location from unauthorized legal advice on title. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

54. D — The correct selection is A reference framework for horizontal coordinates because a horizontal datum defines the reference surface, origin, orientation, and realization supporting positions. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

55. D — The correct selection is The separation between the geoid and reference ellipsoid because geoid height links ellipsoidal and orthometric height through the adopted sign convention. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

56. C — The correct selection is 343.1 ft because rearranging h equals H plus N gives H equals h minus N . Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

57. A — The correct selection is Corrections derived from a receiver at a known position because a known base estimates shared satellite, clock, orbit, and atmospheric error components. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

58. B — The correct selection is The angle between grid north and geodetic north because projection geometry causes mapped meridians and grid lines to differ except along special lines. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

59. C — The correct selection is Repeatability of measurements because precision concerns agreement among repeated observations, whereas accuracy concerns agreement with truth. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

60. D — The correct selection is They permit error detection and adjustment because more observations than the minimum create checks and allow residual-based evaluation. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

61. B — The correct selection is The geoid or an adopted mean-sea-level surface because orthometric height follows the gravity-related plumb line from the geoid to the point. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

62. A — The correct selection is Planar coordinates designed for limited regional distortion because zones and projections limit scale distortion within defined jurisdictions. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

63. C — The correct selection is 2,000.20 ft because ground distance is grid distance divided by the combined factor under the stated convention. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

64. A — The correct selection is Provide a common reference for elevations because consistent elevations require a realized gravity-related reference surface and benchmark network. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

65. B — The correct selection is Poor satellite geometry because changing constellations can improve dilution of precision and strengthen the position solution. Other options invoke an unrelated principle or

reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

66. D — The correct selection is A repeatable bias following a predictable pattern because systematic effects can often be modeled, calibrated, or canceled through observation procedures. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

67. D — The correct selection is A range associated with a stated level of statistical confidence because a confidence interval quantifies uncertainty using the sampling distribution and selected confidence level. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

68. C — The correct selection is 500 ft because line length is the square root of latitude squared plus departure squared. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

69. B — The correct selection is 200 ft because coordinate differences are 120 and 160 feet, forming a 3-4-5 triangle scaled by forty. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

70. A — The correct selection is 5.00 acres because area in square feet divided by 43,560 gives acres. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

71. B — The correct selection is 314.16 ft because arc length equals radius times the central angle expressed in radians. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

72. D — The correct selection is 10.0 ft because grade as a decimal multiplied by horizontal distance gives elevation change. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

73. C — The correct selection is 18,000 sq ft because triangle area is one-half times base times perpendicular height. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

74. A — The correct selection is 501.45 ft because ending elevation equals beginning elevation plus total backsights minus total foresights. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

75. B — The correct selection is 1:10,000 because relative precision denominator equals total traverse length divided by linear misclosure. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

76. A — The correct selection is 6,000 cu ft because volume equals average cross-sectional area multiplied by interval length. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

77. D — The correct selection is 181.99 ft because tangent length equals radius times tangent of one-half the central angle. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

78. C — The correct selection is 35° because a northeast quadrant bearing converts directly to an azimuth measured clockwise from north. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

79. C — The correct selection is S 40° W because an azimuth between 180 and 270 degrees lies southwest and is measured from south. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

80. A — The correct selection is 4.0% because percent grade equals rise divided by horizontal distance times one hundred. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

81. B — The correct selection is 106 ft because a uniform grade changes linearly, so the midpoint elevation is the average of endpoint elevations. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

82. D — The correct selection is 660 ft because ten acres equals 435,600 square feet and the square root gives the side length. Other options invoke an unrelated principle or reverse the necessary relationship.

Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

83. B — The correct selection is 100 ft because the coordinate differences form perpendicular legs and the Pythagorean theorem gives distance. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

84. C — The correct selection is 52.3 ft because vertical component equals slope distance multiplied by sine of the slope angle. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

85. D — The correct selection is -0.05 ft because Bowditch distributes correction in proportion to course length over total traverse length. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

86. A — The correct selection is 1.75 ft cut because existing ground exceeds design grade by 1.75 feet, so material must be removed. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

87. D — The correct selection is Define deliverables, responsibilities, assumptions, and exclusions because a clear scope aligns expectations and provides a basis for schedule, fee, and change management. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

88. C — The correct selection is Document the change and obtain authorization before proceeding because written change control connects added work to revised fee, schedule, responsibility, and client approval. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

89. B — The correct selection is Claims arising from alleged professional errors or omissions because professional liability coverage is designed around negligence allegations in professional services, subject to policy terms. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

90. A — The correct selection is Complete a hazard assessment and implement an approved traffic-control plan because road work requires planned controls, positioning, visibility, communication, and

compliance with applicable traffic requirements. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

91. A — The correct selection is Establish processes that prevent defects and promote consistent quality because quality assurance designs the system, while quality control checks particular work products. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

92. B — The correct selection is Contemporaneous time entries tied to tasks and authorization because timely task-level records connect labor and expense to contracted or approved work. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

93. D — The correct selection is \$8,400 because the field budget equals the total fee multiplied by thirty-five percent. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

94. C — The correct selection is A competing interest that may impair or appear to impair professional judgment because ethical practice requires disclosure and appropriate management of interests affecting independent judgment. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

95. A — The correct selection is Promptly notify responsible parties with verified facts and a correction plan because timely, factual communication limits harm and supports transparent corrective action. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

96. D — The correct selection is Actual cost and earned progress against the approved budget because cost performance is meaningful when expenditures are evaluated with accomplished work and remaining obligations. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

97. B — The correct selection is The worker's demonstrated competence and appropriate supervision because professional responsibility requires matching task complexity to qualifications while maintaining review and supervision. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

98. C — The correct selection is To show what was decided, why, by whom, and from what evidence because a traceable record supports continuity, quality review, billing, and defensible professional practice. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

99. A — The correct selection is Decline certification until adequate review supports it because a professional certification represents accountable judgment and cannot properly exceed the evidence and review performed. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

100. C — The correct selection is 10.35 because the arithmetic mean is the sum of four observations divided by four. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

101. B — The correct selection is 68% because the empirical rule assigns about sixty-eight percent within one standard deviation. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

102. D — The correct selection is 6 because after sorting the five values, the middle observation is six. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

103. C — The correct selection is 0.05 ft because independent standard deviations combine by the square root of the sum of squares. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

104. D — The correct selection is $x = 6$ because subtracting seven and dividing by three isolates x . Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

105. A — The correct selection is 15 because the Pythagorean theorem gives the square root of nine squared plus twelve squared. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

106. B — The correct selection is 143.2° because degrees equal radians multiplied by 180 divided by π . Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling

rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

107. D — The correct selection is Dispersion of observations around their mean because standard deviation summarizes the typical spread of observations relative to their mean. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

108. C — The correct selection is $\frac{4}{5}$ because the first observation's normalized weight is four divided by the total weight of five. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors.

109. B — The correct selection is $\frac{1}{2}$ because three of six equally likely outcomes are even, so the probability is one-half. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.

110. A — The correct selection is 30 because direct variation gives a constant ratio of three, so ten maps to thirty. Other options invoke an unrelated principle or reverse the necessary relationship. Stating the controlling rule, then checking units, signs, and practical meaning, confirms the keyed response and eliminates unsupported distractors. This provides a direct reasonableness check.