

PRACTICE EXAM 29: AAPC CPC SIMULATION (100 QUESTIONS)

This practice exam contains 100 multiple-choice questions and is designed for a four-hour session. Select the single best answer for every question. AAPC requires an overall score of 70 percent or higher to pass. Use the current-year AMA CPT Professional, ICD-10-CM, and HCPCS Level II code books when checking code-specific answers.

1. In training encounter 29-01, a CPC candidate finds documentation describing blood in the urine. What is the best answer?

- A. proteinuria
- B. hematuria
- C. pyuria
- D. dysuria

2. For audit sample 29-02, the documentation states difficulty swallowing. Which choice is most accurate?

- A. odynophonia
- B. aphonia
- C. dysphagia
- D. dysphasia

3. In chart exercise 29-03, which option correctly addresses documentation of visual examination of the urinary bladder?

- A. cystoscopy
- B. colposcopy

- C. nephroscopy
- D. ureteroscopy

4. During coding review 29-04, the record refers to enlargement of the liver. Which response is correct?

- A. hepatosis
- B. hepatitis
- C. splenomegaly
- D. hepatomegaly

5. In training encounter 29-01, a CPC candidate finds documentation describing bone forming the forehead. What is the best answer?

- A. frontal bone
- B. parietal bone
- C. temporal bone
- D. occipital bone

6. For audit sample 29-02, the documentation states major muscle used in quiet inspiration. Which choice is most accurate?

- A. latissimus dorsi
- B. trapezius
- C. rectus abdominis
- D. diaphragm

7. In chart exercise 29-03, which option correctly addresses documentation of portion of the small intestine immediately after the stomach?

- A. jejunum
- B. ileum

- C. duodenum
- D. cecum

8. During coding review 29-04, the record refers to cranial nerve responsible for vision. Which response is correct?

- A. facial nerve
- B. optic nerve
- C. trigeminal nerve
- D. oculomotor nerve

9. In training encounter 29-01, a CPC candidate finds documentation describing a workforce member requests more patient data than the assigned task requires. What is the best answer?

- A. Limit access to the minimum necessary information
- B. Refuse all access regardless of duties
- C. Release the entire record for convenience
- D. Send the record through personal email

10. For audit sample 29-02, the documentation states a claim was paid because of a material coding error. Which choice is most accurate?

- A. Alter the original note after billing
- B. Keep the payment until the payer notices
- C. Transfer the balance to the patient
- D. Follow policy to investigate, correct, and refund any overpayment

11. In chart exercise 29-03, which option correctly addresses documentation of documentation does not support the code selected by a provider?

- A. Choose a diagnosis based on test results alone

- B. Query the provider using a compliant nonleading process
- C. Ask the patient to select the diagnosis
- D. Increase specificity from memory

12. In training encounter 29-01, a CPC candidate finds documentation describing a global-surgery patient returns for an unrelated E/M service. What is the best answer?

- A. Use modifier 58 on the diagnosis
- B. Use modifier 79 on the E/M service
- C. Consider modifier 24 on the E/M service
- D. Bundle every unrelated visit

13. For audit sample 29-02, the documentation states a distinct procedural service survives an edit because it occurred at a separate site. Which choice is most accurate?

- A. Report the service without documentation
- B. Move the service to another date
- C. Use the most specific supported modifier, or modifier 59 when appropriate
- D. Use modifier 59 to override every edit

14. In chart exercise 29-03, which option correctly addresses documentation of a laboratory test is repeated to obtain a subsequent result?

- A. Use modifier 76 for all laboratory repeats
- B. Omit the medically necessary repeat
- C. Report the second result as a new patient
- D. Consider modifier 91 when criteria are met

15. During coding review 29-04, the record refers to documentation supports a significant, separately identifiable E/M service on the same day as a minor procedure. Which response is correct?

- A. Append modifier 25 to the E/M service
- B. Report only the E/M service
- C. Append modifier 59 to the E/M service
- D. Append modifier 25 to the procedure

16. In training encounter 29-05, a CPC candidate finds documentation describing a bilateral procedure is performed and the code is not inherently bilateral. What is the best answer?

- A. Create an unlisted diagnosis code
- B. Apply the payer-accepted bilateral reporting method
- C. Report only the more complex side
- D. Use modifier 51 in every case

17. For audit sample 29-06, the documentation states a service is reduced at the physician's discretion. Which choice is most accurate?

- A. Use modifier 22 for reduced work
- B. Change the procedure date
- C. Consider modifier 52 when its requirements are met
- D. Use modifier 53 for every reduction

18. In chart exercise 29-07, which option correctly addresses documentation of an outpatient diagnosis is documented as probable?

- A. Code the signs and symptoms rather than the uncertain diagnosis, when fully supported by the documentation and all applicable reporting requirements
- B. Omit all diagnoses, when fully supported by the documentation and all applicable reporting requirements
- C. Use an inpatient present-on-admission indicator, when fully supported by the documentation and all applicable reporting requirements
- D. Code the probable condition as confirmed, when fully supported by the documentation and all applicable reporting requirements

19. In training encounter 29-01, a CPC candidate finds documentation describing nausea with vomiting, unspecified. What is the best answer?

- A. K52.9
- B. R11.0
- C. R11.10
- D. R11.2

20. For audit sample 29-02, the documentation states acute upper respiratory infection, unspecified. Which choice is most accurate?

- A. J20.9
- B. J06.9
- C. J02.9
- D. J00

21. In chart exercise 29-03, which option correctly addresses documentation of long-term current use of insulin?

- A. Z79.4
- B. Z79.84
- C. Z51.81
- D. Z76.0

22. During coding review 29-04, the record refers to essential primary hypertension. Which response is correct?

- A. I15.9
- B. R03.0
- C. I10
- D. I11.9

23. In training encounter 29-05, a CPC candidate finds documentation describing type 2 diabetes mellitus without complications. What is the best answer?

- A. E10.9
- B. R73.9
- C. E13.9
- D. E11.9

24. In training encounter 29-01, a CPC candidate finds documentation describing standard wheelchair. What is the best answer?

- A. K0002
- B. K0001
- C. E0143
- D. E0130

25. For audit sample 29-02, the documentation states blood glucose test strips for home use, per 50 strips. Which choice is most accurate?

- A. A4253
- B. A4259
- C. A4233
- D. E0607

26. In chart exercise 29-03, which option correctly addresses documentation of ceftriaxone sodium injection, per 250 mg?

- A. J0690
- B. J0696
- C. J1885
- D. J1100

27. In review batch 29-01, CPT code 19301 is selected. Which documented service best matches it?

- A. tangential biopsy of a single skin lesion
- B. destruction of up to 14 benign skin lesions
- C. partial mastectomy
- D. removal of up to 15 skin tags

28. In encounter 29-02, a 57-year-old patient receives incision and drainage of a simple or single skin abscess in a ambulatory center. Which CPT code is the best match?

- A. 11102
- B. 11200
- C. 17110
- D. 10060

29. In review batch 29-03, CPT code 11102 is selected. Which documented service best matches it?

- A. tangential biopsy of a single skin lesion
- B. partial mastectomy
- C. removal of up to 15 skin tags
- D. incision and drainage of a simple or single skin abscess

30. In encounter 29-04, a 79-year-old patient receives removal of up to 15 skin tags in a office. Which CPT code is the best match?

- A. 11102
- B. 10060
- C. 11200
- D. 19301

31. In review batch 29-05, CPT code 17000 is selected. Which documented service best matches it?

- A. destruction of up to 14 benign skin lesions
- B. partial mastectomy
- C. tangential biopsy of a single skin lesion
- D. destruction of the first premalignant skin lesion

32. In encounter 29-06, a 53-year-old patient receives destruction of up to 14 benign skin lesions in a ambulatory center. Which CPT code is the best match?

- A. 10060
- B. 17110
- C. 19301
- D. 11102

33. In review batch 29-01, CPT code 29827 is selected. Which documented service best matches it?

- A. injection of a single tendon sheath, ligament, or aponeurosis
- B. closed treatment of a distal radial fracture with manipulation
- C. arthrocentesis of a major joint without ultrasound guidance
- D. arthroscopic rotator cuff repair

34. In encounter 29-02, a 57-year-old patient receives injection of a single tendon sheath, ligament, or aponeurosis in a ambulatory center. Which CPT code is the best match?

- A. 25605
- B. 20550
- C. 27447
- D. 20610

35. In review batch 29-03, CPT code 20610 is selected. Which documented service best matches it?

- A. injection of a single tendon sheath, ligament, or aponeurosis
- B. arthroscopic rotator cuff repair
- C. arthrocentesis of a major joint without ultrasound guidance
- D. total hip arthroplasty

36. In encounter 29-04, a 79-year-old patient receives closed treatment of a distal radial fracture with manipulation in a office. Which CPT code is the best match?

- A. 25605
- B. 27447
- C. 20550
- D. 20610

37. In review batch 29-05, CPT code 27130 is selected. Which documented service best matches it?

- A. arthroscopic rotator cuff repair
- B. arthrocentesis of a major joint without ultrasound guidance
- C. total hip arthroplasty
- D. injection of a single tendon sheath, ligament, or aponeurosis

38. In encounter 29-06, a 53-year-old patient receives total knee arthroplasty in a ambulatory center. Which CPT code is the best match?

- A. 27447
- B. 25605
- C. 27130
- D. 20550

39. In review batch 29-01, CPT code 38525 is selected. Which documented service best matches it?

- A. initial or replacement permanent pacemaker system with atrial and ventricular leads, when fully supported by the documentation and all applicable reporting requirements
- B. excision of deep axillary lymph nodes, when fully supported by the documentation and all applicable reporting requirements
- C. diagnostic flexible laryngoscopy, when fully supported by the documentation and all applicable reporting requirements
- D. collection of venous blood by venipuncture, when fully supported by the documentation and all applicable reporting requirements

40. In encounter 29-02, a 57-year-old patient receives diagnostic nasal endoscopy in a ambulatory center. Which CPT code is the best match?

- A. 31622
- B. 36415
- C. 38525
- D. 31231

41. In review batch 29-03, CPT code 31575 is selected. Which documented service best matches it?

- A. diagnostic bronchoscopy, when fully supported by the documentation and all applicable reporting requirements
- B. initial or replacement permanent pacemaker system with atrial and ventricular leads, when fully supported by the documentation and all applicable reporting requirements
- C. collection of venous blood by venipuncture, when fully supported by the documentation and all applicable reporting requirements
- D. diagnostic flexible laryngoscopy, when fully supported by the documentation and all applicable reporting requirements

42. In encounter 29-04, a 79-year-old patient receives diagnostic bronchoscopy in a office. Which CPT code is the best match?

- A. 33208
- B. 31622

- C. 31575
- D. 36415

43. In review batch 29-05, CPT code 33208 is selected. Which documented service best matches it?

- A. diagnostic nasal endoscopy, when fully supported by the documentation and all applicable reporting requirements
- B. diagnostic flexible laryngoscopy, when fully supported by the documentation and all applicable reporting requirements
- C. initial or replacement permanent pacemaker system with atrial and ventricular leads, when fully supported by the documentation and all applicable reporting requirements
- D. diagnostic bronchoscopy, when fully supported by the documentation and all applicable reporting requirements

44. In encounter 29-06, a 53-year-old patient receives collection of venous blood by venipuncture in a ambulatory center. Which CPT code is the best match?

- A. 36415
- B. 31575
- C. 33208
- D. 38525

45. In review batch 29-01, CPT code 47562 is selected. Which documented service best matches it?

- A. diagnostic upper gastrointestinal endoscopy
- B. upper gastrointestinal endoscopy with biopsy
- C. appendectomy
- D. laparoscopic cholecystectomy

46. In encounter 29-02, a 57-year-old patient receives diagnostic upper gastrointestinal endoscopy in a ambulatory center. Which CPT code is the best match?

- A. 43235
- B. 45378
- C. 44950
- D. 47562

47. In review batch 29-03, CPT code 43239 is selected. Which documented service best matches it?

- A. laparoscopic cholecystectomy
- B. diagnostic upper gastrointestinal endoscopy
- C. upper gastrointestinal endoscopy with biopsy
- D. colonoscopy with biopsy

48. In encounter 29-04, a 79-year-old patient receives diagnostic colonoscopy in a office. Which CPT code is the best match?

- A. 45380
- B. 45378
- C. 43239
- D. 44950

49. In review batch 29-05, CPT code 45380 is selected. Which documented service best matches it?

- A. colonoscopy with biopsy
- B. laparoscopic cholecystectomy
- C. appendectomy
- D. diagnostic upper gastrointestinal endoscopy

50. In encounter 29-06, a 53-year-old patient receives appendectomy in a ambulatory center. Which CPT code is the best match?

- A. 43239

- B. 44950
- C. 45378
- D. 47562

51. In review batch 29-01, CPT code 60240 is selected. Which documented service best matches it?

- A. diagnostic cystourethroscopy
- B. insertion of an indwelling ureteral stent
- C. measurement of post-void residual urine by ultrasound
- D. total or complete thyroidectomy

52. In encounter 29-02, a 57-year-old patient receives measurement of post-void residual urine by ultrasound in a ambulatory center. Which CPT code is the best match?

- A. 60240
- B. 52332
- C. 51798
- D. 52601

53. In review batch 29-03, CPT code 52000 is selected. Which documented service best matches it?

- A. endometrial biopsy
- B. transurethral electrosurgical resection of the prostate
- C. measurement of post-void residual urine by ultrasound
- D. diagnostic cystourethroscopy

54. In encounter 29-04, a 79-year-old patient receives insertion of an indwelling ureteral stent in a office. Which CPT code is the best match?

- A. 52332
- B. 52601

- C. 60240
- D. 52000

55. In review batch 29-05, CPT code 52601 is selected. Which documented service best matches it?

- A. diagnostic cystourethroscopy
- B. total or complete thyroidectomy
- C. transurethral electrosurgical resection of the prostate
- D. measurement of post-void residual urine by ultrasound

56. In encounter 29-06, a 53-year-old patient receives endometrial biopsy in a ambulatory center. Which CPT code is the best match?

- A. 51798
- B. 58100
- C. 52601
- D. 52332

57. In review batch 29-01, CPT code 69631 is selected. Which documented service best matches it?

- A. supratentorial craniectomy or craniotomy for excision of brain tumor
- B. tympanoplasty without mastoidectomy
- C. open carpal tunnel release
- D. cataract removal with intraocular lens insertion

58. In encounter 29-02, a 57-year-old patient receives supratentorial craniectomy or craniotomy for excision of brain tumor in a ambulatory center. Which CPT code is the best match?

- A. 61510
- B. 66984
- C. 64721

D. 62270

59. In review batch 29-03, CPT code 62270 is selected. Which documented service best matches it?

- A. single-interspace lumbar laminotomy with decompression, when fully supported by the documentation and all applicable reporting requirements
- B. supratentorial craniectomy or craniotomy for excision of brain tumor, when fully supported by the documentation and all applicable reporting requirements
- C. diagnostic lumbar puncture, when fully supported by the documentation and all applicable reporting requirements
- D. tympanoplasty without mastoidectomy, when fully supported by the documentation and all applicable reporting requirements

60. In encounter 29-04, a 79-year-old patient receives single-interspace lumbar laminotomy with decompression in a office. Which CPT code is the best match?

- A. 62270
- B. 66984
- C. 61510
- D. 63030

61. In review batch 29-05, CPT code 64721 is selected. Which documented service best matches it?

- A. tympanoplasty without mastoidectomy
- B. single-interspace lumbar laminotomy with decompression
- C. cataract removal with intraocular lens insertion
- D. open carpal tunnel release

62. In encounter 29-06, a 53-year-old patient receives cataract removal with intraocular lens insertion in a ambulatory center. Which CPT code is the best match?

- A. 66984
- B. 62270
- C. 69631
- D. 64721

63. In review batch 29-01, CPT code 77067 is selected. Which documented service best matches it?

- A. MRI of brain without and with contrast
- B. bilateral screening mammography
- C. complete shoulder radiographs, minimum two views
- D. chest radiographs, two views

64. In encounter 29-02, a 57-year-old patient receives chest radiographs, two views in a ambulatory center. Which CPT code is the best match?

- A. 77067
- B. 70553
- C. 71046
- D. 74177

65. In review batch 29-03, CPT code 73030 is selected. Which documented service best matches it?

- A. CT of abdomen and pelvis with contrast
- B. complete shoulder radiographs, minimum two views
- C. MRI of brain without and with contrast
- D. chest radiographs, two views

66. In encounter 29-04, a 79-year-old patient receives knee radiographs, three views in a office. Which CPT code is the best match?

- A. 74177

- B. 77067
- C. 70553
- D. 73562

67. In review batch 29-05, CPT code 74177 is selected. Which documented service best matches it?

- A. complete shoulder radiographs, minimum two views
- B. MRI of brain without and with contrast
- C. CT of abdomen and pelvis with contrast
- D. bilateral screening mammography

68. In encounter 29-06, a 53-year-old patient receives MRI of brain without and with contrast in a ambulatory center. Which CPT code is the best match?

- A. 70553
- B. 74177
- C. 73562
- D. 77067

69. In review batch 29-01, CPT code 83036 is selected. Which documented service best matches it?

- A. hemoglobin A1c
- B. lipid panel
- C. comprehensive metabolic panel
- D. automated urinalysis with microscopy

70. In encounter 29-02, a 57-year-old patient receives comprehensive metabolic panel in a ambulatory center. Which CPT code is the best match?

- A. 85610
- B. 80053

- C. 85025
- D. 81001

71. In review batch 29-03, CPT code 80061 is selected. Which documented service best matches it?

- A. automated urinalysis with microscopy
- B. prothrombin time
- C. automated complete blood count with differential
- D. lipid panel

72. In encounter 29-04, a 79-year-old patient receives automated urinalysis with microscopy in a office. Which CPT code is the best match?

- A. 80053
- B. 83036
- C. 81001
- D. 85025

73. In review batch 29-05, CPT code 85025 is selected. Which documented service best matches it?

- A. prothrombin time
- B. lipid panel
- C. automated urinalysis with microscopy
- D. automated complete blood count with differential

74. In encounter 29-06, a 53-year-old patient receives prothrombin time in a ambulatory center. Which CPT code is the best match?

- A. 85610
- B. 81001
- C. 80061

D. 80053

75. In review batch 29-01, CPT code 97110 is selected. Which documented service best matches it?

- A. therapeutic or diagnostic subcutaneous or intramuscular injection
- B. therapeutic exercises, each 15 minutes
- C. initial immunization administration by injection
- D. spirometry including graphic record

76. In encounter 29-02, a 57-year-old patient receives initial immunization administration by injection in a ambulatory center. Which CPT code is the best match?

- A. 96372
- B. 97110
- C. 90471
- D. 93000

77. In review batch 29-03, CPT code 90715 is selected. Which documented service best matches it?

- A. initial immunization administration by injection
- B. spirometry including graphic record
- C. Tdap vaccine for patients age seven years or older
- D. complete electrocardiogram with interpretation and report

78. In encounter 29-04, a 79-year-old patient receives complete electrocardiogram with interpretation and report in a office. Which CPT code is the best match?

- A. 90715
- B. 90471
- C. 94010
- D. 93000

79. In review batch 29-05, CPT code 94010 is selected. Which documented service best matches it?

- A. therapeutic or diagnostic subcutaneous or intramuscular injection
- B. spirometry including graphic record
- C. therapeutic exercises, each 15 minutes
- D. initial immunization administration by injection

80. In encounter 29-06, a 53-year-old patient receives therapeutic or diagnostic subcutaneous or intramuscular injection in a ambulatory center. Which CPT code is the best match?

- A. 96372
- B. 93000
- C. 90715
- D. 94010

81. During CPC practice set 29, scenario 01, an emergency department service is reported. Which reporting action is most appropriate?

- A. Use new-patient office codes, when fully supported by the documentation and all applicable reporting requirements
- B. Select the level using the applicable ED requirements rather than typical time, when fully supported by the documentation and all applicable reporting requirements
- C. Choose the code by total time only, when fully supported by the documentation and all applicable reporting requirements
- D. Require the patient to be admitted, when fully supported by the documentation and all applicable reporting requirements

82. During CPC practice set 29, scenario 02, documentation supports critical care. Which reporting action is most appropriate?

- A. Count separately billable procedure time
- B. Use room location as the only criterion
- C. Confirm critical illness or injury, qualifying work, and total critical-care time
- D. Report critical care for every ICU patient

83. During CPC practice set 29, scenario 03, a new patient office visit is selected by medical decision making. Which reporting action is most appropriate?

- A. Use examination alone to select the level, when fully supported by the documentation and all applicable reporting requirements
- B. Use history alone to select the level, when fully supported by the documentation and all applicable reporting requirements
- C. Count only face-to-face counseling time, when fully supported by the documentation and all applicable reporting requirements
- D. Meet or exceed two of the three MDM elements at the reported level, when fully supported by the documentation and all applicable reporting requirements

84. During CPC practice set 29, scenario 04, an established patient office visit is selected by total time. Which reporting action is most appropriate?

- A. Use the reporting professional's qualifying total time on the date of service, when fully supported by the documentation and all applicable reporting requirements
- B. Add time for separately reported procedures, when fully supported by the documentation and all applicable reporting requirements
- C. Count time from every staff member, when fully supported by the documentation and all applicable reporting requirements
- D. Count time spent on a different date, when fully supported by the documentation and all applicable reporting requirements

85. During CPC practice set 29, scenario 05, a separately reportable procedure is performed during an office visit. Which reporting action is most appropriate?

- A. Add all procedure time to E/M time

- B. Select E/M only by rooming time
- C. Do not count procedure time toward time-based E/M selection
- D. Count patient travel time

86. During CPC practice set 29, scenario 06, the patient has not received professional services from the physician or same-specialty group within three years. Which reporting action is most appropriate?

- A. Treat every referred patient as established
- B. Treat the patient as new when all applicable criteria are satisfied
- C. Treat the patient as new after one year
- D. Use place of service alone

87. During CPC practice set 29, scenario 01, monitored anesthesia care is provided. Which reporting action is most appropriate?

- A. Replace the anesthesia code with an office visit
- B. Use modifier 25 as the anesthesia modifier
- C. Report only the surgical procedure
- D. Report the appropriate anesthesia code with modifier QS when required

88. During CPC practice set 29, scenario 02, a healthy patient receives anesthesia. Which reporting action is most appropriate?

- A. Assign physical-status modifier P1
- B. Assign P3
- C. Assign P4
- D. Assign P2

89. During CPC practice set 29, scenario 03, an anesthesiologist personally performs the anesthesia service. Which reporting action is most appropriate?

- A. Append modifier QZ
- B. Append modifier QY
- C. Append modifier AA
- D. Append modifier QX

90. During CPC practice set 29, scenario 04, a CRNA performs anesthesia without medical direction by a physician. Which reporting action is most appropriate?

- A. Append modifier AA
- B. Append modifier QK
- C. Append modifier QY
- D. Append modifier QZ

91. Case 29-1: The patient is 53 years old. A screening encounter includes bilateral screening mammography with computer-aided detection when performed. Which reporting approach is most appropriate?

- A. Report the bilateral screening mammography service and screening diagnosis, when fully supported by the documentation and all applicable reporting requirements
- B. Report breast biopsy, when fully supported by the documentation and all applicable reporting requirements
- C. Report a diagnostic unilateral mammogram, when fully supported by the documentation and all applicable reporting requirements
- D. Report chest radiographs, when fully supported by the documentation and all applicable reporting requirements

92. Case 29-2: The patient is 66 years old. A patient receives an intramuscular therapeutic injection in the office; the drug is separately reportable. Which reporting approach is most appropriate?

- A. Report only an office visit, when fully supported by the documentation and all applicable reporting requirements
- B. Report the injection administration and the appropriate drug supply code, when fully supported by the documentation and all applicable reporting requirements

- C. Report intravenous chemotherapy, when fully supported by the documentation and all applicable reporting requirements
- D. Bundle every drug into the administration, when fully supported by the documentation and all applicable reporting requirements

93. Case 29-3: The patient is 79 years old. A healthy patient receives anesthesia personally performed by an anesthesiologist. Which reporting approach is most appropriate?

- A. Report the anesthesia service with modifiers AA and P1 as applicable, when fully supported by the documentation and all applicable reporting requirements
- B. Use QX and P3, when fully supported by the documentation and all applicable reporting requirements
- C. Use QZ and P4, when fully supported by the documentation and all applicable reporting requirements
- D. Use QY without a CRNA, when fully supported by the documentation and all applicable reporting requirements

94. Case 29-4: The patient is 33 years old. An established patient is evaluated for stable hypertension. The physician documents a low level of MDM and no separately reported procedure. Which reporting approach is most appropriate?

- A. Report critical care
- B. Report only a preventive service
- C. Report a new-patient visit
- D. Report the supported established-patient office E/M level

95. Case 29-5: The patient is 46 years old. A patient undergoes diagnostic colonoscopy and a lesion is biopsied during the same session. Which reporting approach is most appropriate?

- A. Report diagnostic colonoscopy alone
- B. Report the colonoscopy-with-biopsy code as supported
- C. Report both complete colonoscopy codes without edit review
- D. Report an upper endoscopy code

96. Case 29-6: The patient is 59 years old. A surgeon performs laparoscopic removal of the gallbladder for symptomatic cholelithiasis. Which reporting approach is most appropriate?

- A. Report diagnostic upper endoscopy
- B. Report open appendectomy
- C. Report the supported laparoscopic cholecystectomy code
- D. Report total colectomy

97. Case 29-7: The patient is 72 years old. A patient with knee pain receives aspiration of the knee without ultrasound guidance. Which reporting approach is most appropriate?

- A. Report ultrasound-guided aspiration, when fully supported by the documentation and all applicable reporting requirements
- B. Report physical therapy exercise, when fully supported by the documentation and all applicable reporting requirements
- C. Report arthrocentesis of a major joint without ultrasound guidance, when fully supported by the documentation and all applicable reporting requirements
- D. Report a small-joint aspiration, when fully supported by the documentation and all applicable reporting requirements

98. Case 29-8: The patient is 85 years old. A dermatologist destroys one actinic keratosis and documents no additional lesions. Which reporting approach is most appropriate?

- A. Report removal of skin tags
- B. Report destruction of benign lesions
- C. Report excision of a malignant lesion
- D. Report destruction of the first premalignant lesion

99. Case 29-9: The patient is 39 years old. A patient has a diagnostic flexible laryngoscopy in the office. Which reporting approach is most appropriate?

- A. Report diagnostic bronchoscopy

- B. Report the diagnostic flexible laryngoscopy service
- C. Report nasal endoscopy
- D. Report operative tracheostomy

100. Case 29-10: The patient is 52 years old. A patient with type 2 diabetes has no documented complication and uses long-term insulin. Which reporting approach is most appropriate?

- A. Report the diabetes code and the supported long-term insulin-use status code, when fully supported by the documentation and all applicable reporting requirements
- B. Omit the documented insulin-use status, when fully supported by the documentation and all applicable reporting requirements
- C. Report hyperglycemia without diabetes, when fully supported by the documentation and all applicable reporting requirements
- D. Report type 1 diabetes only, when fully supported by the documentation and all applicable reporting requirements

Practice Exam 29: Answer Key and Explanations

- 1. B** — Hematuria means blood is present in urine. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before final selection.
- 2. C** — Dysphagia is difficulty with swallowing. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before final selection.
- 3. A** — Cystoscopy is endoscopic inspection of the urinary bladder. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before final selection.

4. D — Hepatomegaly means enlargement of the liver. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before final selection.

5. A — The frontal bone forms the forehead and anterior cranial vault. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before.

6. D — The diaphragm is the primary muscle of quiet inspiration. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before final.

7. C — The duodenum is the first small-intestinal segment. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before final selection.

8. B — The optic nerve carries visual sensory information. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before final selection.

9. A — HIPAA's minimum-necessary principle limits routine access and disclosure. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before final selection.

10. D — Identified overpayments require timely investigation and appropriate correction. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before final selection.

11. B — A compliant query resolves documentation ambiguity without directing an unsupported answer. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by

the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books.

12. C — Modifier 24 identifies an unrelated E/M service during a postoperative period. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books.

13. C — A distinct-service modifier requires documentation of a truly separate encounter, site, or service. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year.

14. D — Modifier 91 is used for repeat clinical diagnostic laboratory testing in appropriate circumstances. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year.

15. A — Modifier 25 identifies a separately identifiable E/M service by the same physician or qualified professional. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in.

16. B — Bilateral reporting depends on the code descriptor and payer instructions. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before.

17. C — Modifier 52 may report a partially reduced or eliminated service. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before.

18. A — Outpatient rules generally prohibit coding uncertain diagnoses as established. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before final.

19. D — R11.2 reports nausea with vomiting when no greater specificity is documented. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books.

20. B — J06.9 identifies an unspecified acute upper respiratory infection. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before final selection.

21. A — Z79.4 identifies long-term current use of insulin. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before final selection.

22. C — I10 reports essential primary hypertension when no more specific hypertensive condition is documented. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year.

23. D — E11.9 identifies type 2 diabetes mellitus without complications. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before final selection.

24. B — K0001 identifies a standard wheelchair. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before final selection.

25. A — A4253 reports blood glucose test strips in the specified supply unit. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books.

26. B — J0696 identifies ceftriaxone sodium injection in the stated unit. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm

the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before final.

27. C — CPT code 19301 corresponds to partial mastectomy under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year.

28. D — CPT code 10060 corresponds to incision and drainage of a simple or single skin abscess under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes.

29. A — CPT code 11102 corresponds to tangential biopsy of a single skin lesion under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable.

30. C — CPT code 11200 corresponds to removal of up to 15 skin tags under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable.

31. D — CPT code 17000 corresponds to destruction of the first premalignant skin lesion under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable.

32. B — CPT code 17110 corresponds to destruction of up to 14 benign skin lesions under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and.

33. D — CPT code 29827 corresponds to arthroscopic rotator cuff repair under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in.

34. B — CPT code 20550 corresponds to injection of a single tendon sheath, ligament, or aponeurosis under the commonly used code-set description. The keyed response best matches the documented

service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits.

35. C — CPT code 20610 corresponds to arthrocentesis of a major joint without ultrasound guidance under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and.

36. A — CPT code 25605 corresponds to closed treatment of a distal radial fracture with manipulation under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits.

37. C — CPT code 27130 corresponds to total hip arthroplasty under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the.

38. A — CPT code 27447 corresponds to total knee arthroplasty under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the.

39. B — CPT code 38525 corresponds to excision of deep axillary lymph nodes under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official.

40. D — CPT code 31231 corresponds to diagnostic nasal endoscopy under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the.

41. D — CPT code 31575 corresponds to diagnostic flexible laryngoscopy under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the.

42. B — CPT code 31622 corresponds to diagnostic bronchoscopy under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year.

43. C — CPT code 33208 corresponds to initial or replacement permanent pacemaker system with atrial and ventricular leads under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional.

44. A — CPT code 36415 corresponds to collection of venous blood by venipuncture under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official.

45. D — CPT code 47562 corresponds to laparoscopic cholecystectomy under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year.

46. A — CPT code 43235 corresponds to diagnostic upper gastrointestinal endoscopy under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in.

47. C — CPT code 43239 corresponds to upper gastrointestinal endoscopy with biopsy under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines.

48. B — CPT code 45378 corresponds to diagnostic colonoscopy under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year.

49. A — CPT code 45380 corresponds to colonoscopy with biopsy under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established

by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the.

50. B — CPT code 44950 corresponds to appendectomy under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code.

51. D — CPT code 60240 corresponds to total or complete thyroidectomy under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in.

52. C — CPT code 51798 corresponds to measurement of post-void residual urine by ultrasound under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable.

53. D — CPT code 52000 corresponds to diagnostic cystourethroscopy under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year.

54. A — CPT code 52332 corresponds to insertion of an indwelling ureteral stent under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official.

55. C — CPT code 52601 corresponds to transurethral electrosurgical resection of the prostate under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official.

56. B — CPT code 58100 corresponds to endometrial biopsy under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year.

57. B — CPT code 69631 corresponds to tympanoplasty without mastoidectomy under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the.

58. A — CPT code 61510 corresponds to supratentorial craniectomy or craniotomy for excision of brain tumor under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits.

59. C — CPT code 62270 corresponds to diagnostic lumbar puncture under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the.

60. D — CPT code 63030 corresponds to single-interspace lumbar laminotomy with decompression under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines.

61. D — CPT code 64721 corresponds to open carpal tunnel release under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in.

62. A — CPT code 66984 corresponds to cataract removal with intraocular lens insertion under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official.

63. B — CPT code 77067 corresponds to bilateral screening mammography under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the.

64. C — CPT code 71046 corresponds to chest radiographs, two views under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established

by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in.

65. B — CPT code 73030 corresponds to complete shoulder radiographs, minimum two views under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official.

66. D — CPT code 73562 corresponds to knee radiographs, three views under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in.

67. C — CPT code 74177 corresponds to CT of abdomen and pelvis with contrast under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable.

68. A — CPT code 70553 corresponds to MRI of brain without and with contrast under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable.

69. A — CPT code 83036 corresponds to hemoglobin A1c under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year.

70. B — CPT code 80053 corresponds to comprehensive metabolic panel under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the.

71. D — CPT code 80061 corresponds to lipid panel under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year.

72. C — CPT code 81001 corresponds to automated urinalysis with microscopy under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in.

73. D — CPT code 85025 corresponds to automated complete blood count with differential under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official.

74. A — CPT code 85610 corresponds to prothrombin time under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year.

75. B — CPT code 97110 corresponds to therapeutic exercises, each 15 minutes under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines.

76. C — CPT code 90471 corresponds to initial immunization administration by injection under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines.

77. C — CPT code 90715 corresponds to Tdap vaccine for patients age seven years or older under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits.

78. D — CPT code 93000 corresponds to complete electrocardiogram with interpretation and report under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official.

79. B — CPT code 94010 corresponds to spirometry including graphic record under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not

established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in.

80. A — CPT code 96372 corresponds to therapeutic or diagnostic subcutaneous or intramuscular injection under the commonly used code-set description. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable.

81. B — Emergency department E/M codes are not selected using the office-visit time ranges. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code.

82. C — Critical care depends on the patient's condition, qualifying physician work, and documented time, not location alone. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines.

83. D — Office E/M selection by MDM uses the defined three elements and requires the applicable number at a level. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable.

84. A — Office E/M time includes qualifying physician or professional work on the service date and excludes separately reported work. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable.

85. C — Time spent performing separately reported services is excluded from time used to select an E/M level. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines.

86. B — New-versus-established status depends on prior professional services and specialty or subspecialty within the defined period. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in.

87. D — QS identifies monitored anesthesia care and supplements the appropriate anesthesia reporting. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books.

88. A — P1 describes a normal healthy patient for anesthesia physical-status reporting. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before.

89. C — Modifier AA reports anesthesia services personally performed by an anesthesiologist. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before.

90. D — Modifier QZ reports a CRNA service without medical direction by a physician. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code.

91. A — The purpose and bilateral screening technique support the screening mammography service and screening diagnosis. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the.

92. B — Administration and drug supply represent different reportable components when payer rules and documentation support both. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in.

93. A — Personal performance by the anesthesiologist supports AA, while healthy physical status supports P1. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year.

94. D — The record describes problem-oriented work for an established patient, so the supported office E/M level is appropriate. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not

established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official.

95. B — The biopsy service describes the work performed and generally supersedes the diagnostic-only colonoscopy for the same encounter. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official.

96. C — The operative approach and organ removed support laparoscopic cholecystectomy reporting. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before.

97. C — The knee is a major joint and the record does not support ultrasound guidance. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the.

98. D — An actinic keratosis is premalignant, and one lesion supports the first-lesion destruction service. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year.

99. B — The documented instrument, anatomy, and diagnostic purpose support flexible laryngoscopy. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes, edits, and applicable official guidelines in the current-year code books before.

100. A — Type 2 diabetes without complications is coded with its category, and documented long-term insulin use may require an additional status code. The keyed response best matches the documented service or governing coding principle. The distractors represent a different service, unsupported specificity, or a reporting rule not established by the record. For exam use, confirm the descriptor, instructional notes.